



Examples of Acceptable / Unacceptable Lighting Fixtures

Unacceptable / Discouraged


Fixtures that produce glare and light trespass



Unshielded Floodlights or Poorly-shielded Floodlights




Unshielded Wallpacks & Unshielded or Poorly-shielded Wall Mount Fixtures




Drop-Lens & Sag-Lens Fixtures w/ exposed bulb / refractor lens

Unshielded Streetlight




Unshielded Security Light



Unshielded 'Period' Style Fixtures




Unshielded PAR Floodlights




Drop-Lens Canopy Fixtures

Acceptable


Fixtures that shield the light source to minimize glare and light trespass and to facilitate better vision at night



Full Cutoff Fixtures



Fully Shielded Wallpack & Wall Mount Fixtures



Fully Shielded Fixtures

Full Cutoff Streetlight




Fully Shielded Security Light




Fully Shielded 'Period' Style Fixtures

bulb shielded in opaque top



Shielded / Properly-aimed PAR Floodlights



Flush Mounted Canopy Fixtures

Copyright Bob Crelin BC 10.02


ADDITIONAL EXAMPLES

UNACCEPTABLE



Upward Oriented Landscaping Floodlight

ACCEPTABLE



Rope Lighting



Partially Shielded Low Voltage Landscape light