

CITY OF TUMWATER

555 ISRAEL RD. SW, TUMWATER, WA 98501

(360) 754-4180

Email: cdd@ci.tumwater.wa.us

FINAL BINDING SITE PLAN Submittal Checklist

TUM -	DATE STAMP
RCVD BY	

AF	PLI	CANT INFORMATION (please print neatly)			
NAN	ME OF	APPLICANT:			
SU	J BJ I	ECT PROPERTY INFORMATION			
ADI	ORESS	OF PROPERTY (COMPLETE):			
mi	nor	approval of the preliminary Binding Site Plan (BSP) has not expired, and the alteration of the approved preliminary BSP, then a submittal for a Final BSP st unless waived by Staff.			
Α.	AP	PLICATION	N/A	Provided	Staff
1.		ovide a complete and signed (by owner or authorized representative) olication and applicable fee.			
2.		e copy of the Title report / Plat Certificate / Subdivision Guarantee, dated more than 30 days prior to submittal.			
3.	Cu	rrent Plat Name Reservation Certificate from Thurston County Auditor.			
4.	On	e copy of the proposed BSP drawing(s).			
В.	BI	NDING SITE PLAN MAPS	N/A	Provided	Staff
1.	by the	e survey of the land division and preparation of the BSP maps shall be made or under the supervision of a registered land surveyor who shall certify on map(s) that it is a true and correct representation of the lands actually veyed.			
2. The surveyor preparing the Final BSP shall submit a separate Street Monumentation Plan for approval prior to setting any permanent monuments. The Public Works Department shall determine the number and location of permanent control monuments in streets within and leading into the land division, if any. All street monuments shall conform to the standard specifications of the American Public Works Association.					
3.	All	BSP maps shall be drawn in accordance with the following:			
	a.	The scale of the map(s) shall be not less than 1"=200'. Lettering shall be at least 3/32 of an inch high. The perimeter of the land division being recorded shall be depicted with heavier lines wider than the remaining portion of the land division.			
	b.	A margin line shall be drawn completely around each sheet, leaving a margin of two inches on the left, and one-half inch on each of the other three sides.			
	c.	If more than two sheets are used, an index of the entire Final BSP showing the arrangement of all sheets shall be included. Each sheet shall be appropriately numbered.			

Final Binding Site Plan Submittal Checklist

3 .]	BIN	NDING SITE PLAN MAPS (CONTINUED)	N/A	Provided	Staff
	d.	The size of each sheet shall be 18 inches by 24 inches.			
		e BSP map shall be a drawing of the entire contiguous tract owned by the blicant, showing the following information:			
;	a.	The BSP title or number, date, scale, north arrow, legend, controlling topography, and existing features such as highways and railroads.			
	b.	Legal description of the land division boundaries.			
•	c.	Reference points and lines of existing surveys identified, related to the land division as follows:			
		- Adjoining corners of adjoining land divisions.			
		- City or County boundary lines when crossing or adjacent to the division.			
		- Section and donation land claim lines within and adjacent to the division			
		- Whenever any City or Thurston County has established the centerline of a street adjacent to or within the proposed division, the location of this line and monuments found or reset.			
		- All other monuments found or established in making the survey or required to be installed by provisions of the Tumwater Municipal Code.			
_		- The basis of bearing shall be shown and shall be the Tumwater coordinate system.			
_	d.	The exact location and width of the streets and easements intersecting the boundary of the tract.			
,	e.	Tract, block and lot boundary lines and street rights-of-way and centerlines, with dimensions, bearings or deflection angles, radii, arcs, points of curvature and tangent bearings. Tract boundaries, lot boundaries and street bearings shall be shown to the nearest second with basis of bearings. All distances shall be shown to the nearest 0.01 foot.		П	
-	f.	The width of the portion of streets being dedicated, the width of any existing right-of-way, and the width of each side of the centerline. For streets on curvature, curve data shall be based on the street centerline. In addition to the centerline dimensions, the radius and central angle shall be indicated.			
-	g.	Easements denoted by fine dashed lines, clearly identified and, if already of record, their recorded reference. The width of the easement, its length and bearings, and sufficient ties to locate the easement with respect to the land division must be shown. If the easement is being dedicated by the map, it shall be properly referenced in the owner's certificate of dedication.			
-	h.	Lot numbers beginning with number "1" and numbered consecutively without omission or duplication throughout the division. The numbers shall be solid, of sufficient size and thickness to stand out and so placed as not to obliterate any figure. Lot numbers in an addition to a land division of the same name shall, where practical, be a continuation of the numbering of the original land division.			
:	i.	Accurate outlines and designations of any Tracts (beginning with the letter "A") to be dedicated or reserved for public use or to be committed for the common use of all property owners with the purpose of dedication, reservation and commitment to be clearly set forth on the land division document together with accurate references to appropriate recorded documents.			

Final Binding Site Plan Submittal Checklist

В.	BIN	NDING SITE PLAN MAPS (CONTINUED)	N/A	Provided	Staff			
	j.	All required dedications, endorsements, covenants, affidavits and certificates shall be shown on the face of the Final BSP.						
	k.	The land division plan shall show the land division of the section or sections involved and show the township(s) and range(s); provided, that if the land being divided is not described by section subdivision, the Final BSP map shall show a vicinity map showing monuments and land corners sufficient to properly orient the new land division.						
	1.	A land division contiguous to, or representing a portion of or all of the frontage of a body of water, river or stream shall indicate the location of monuments, which shall be located at such distance above high-water mark as to reasonably insure against damage and destruction by flooding or erosion.						
	m.	Specific wording as may be required by the preliminary BSP approval.						
	n.	Lots containing one acre or more shall show net acreage to nearest hundredth, whenever possible.						
	0.	Designation of lots to be used for other than single-family residential purposes.						
	p.	If the land division constitutes a re-division of all or portions of an existing division, this shall be clearly indicated just below the division name. All original BSP lines shall be shown in half-tone around the perimeter of the new land division.						
	q.	The following restrictions shall be shown on the face of the Final BSP:						
		- All landscaped areas in public rights-of-way shall be maintained by the owner and his/her successor(s) and may be reduced or eliminated if deemed necessary for or detrimental to City road purposes.						
		- Any additional conditions as approved by Staff.						
		- The following shall be required when the Final BSP contains a private street: The cost of construction and maintaining all streets not herein dedicated as public streets shall be the obligation of all of the owners and the obligation of any corporation in which title of the streets may be held.						
		- The following shall be required when the Final BSP contains commonly owned tracts: Community tracts shall be owned and maintained in common for the benefit of all lot-owners. All lots have an undivided interest in the ownership and maintenance of community areas. The ownership interest in each community tract shall be stated in the deed to each lot.						
C.	EL	ECTRONIC SUBMITTAL	N/A	Provided	Staff			
1.		omitting online: <u>Upload</u> documents, naming them with the project lress and document name (project address – application, checklist, plans, etc).						
	etc	omitting in person: USB drive containing apps, checklist, plans, reports, as outlined under B and C above, in PDF-file format. Maximum format ll be 300 dpi.						

I verify that all required documents associated with this application have been submitted.

Final Binding Site Plan Submittal Checklist Signature of Applicant/Representative Date